

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Original) An image processing apparatus comprising:
- a plurality of entry screens;
 - first display means for selectively displaying an entry screen from the plurality of entry screens;
 - setting means for setting an operation condition on the displayed entry screen;
 - a list screen on which all the set operation conditions are collectively displayed; and
 - second display means for displaying the entry screen displayed by the first display means and the list screen at the same time.
2. (Original) An image processing apparatus comprising:
- a display;
 - first control means for selectively displaying an entry screen from a plurality of entry screens on the display;
 - setting means for setting an operation condition on the displayed entry screen; and
 - second control means for displaying the entry screen displayed by the first display means and a list screen on which all the set operation conditions are collectively displayed at the same time.

A4

3. (Original) A setting method comprising the steps of:
- a first step in which one of a plurality of entry screens is displayed;
 - a second step in which an operation condition is set on the displayed entry screen;
 - a third step in which a plurality of operation conditions is set by repeating the first step and the second step; and
 - a fourth step in which a list of all the set operation conditions and the entry screen are displayed at the same time.

- A4
4. (Currently Amended) A setting method comprising the steps of:
- displaying one of a plurality of entry screens;
 - setting an operation condition through the displayed entry screen; and
 - ~~display~~ displaying the entry screen and a list of all the set operation conditions at the same time.

5. (Currently Amended) A computer program product executing the procedures of:
- displaying one of a plurality of entry screens;
 - setting an operation condition through the displayed entry screen; and
 - ~~display~~ displaying the entry screen and a list of all the set operation conditions at the same time.

6. (Original) An operation condition setter for setting values for a plurality of items specifying operation conditions of an image processing apparatus, said setter comprising:

selection means for selecting one group from among a plurality of groups into which the items are classified;

first generation means for generating an entry screen for entering data for an item belonging to the selected group;

first display control means for displaying the entry screen on a display;

setting means for registering the data entered for the item on the entry screen as a set value of the item;

second generation means for generating a list of setting results of the operation conditions based on the set values of all the items; and

second display control means for displaying the list on the display.

7. (Original) An operation condition setter as claimed in claim 6, further comprising:

detection means for detecting a combination of set values at which the image processing apparatus can operate; and

inhibition means for inhibiting a combination of set values at which the image processing apparatus cannot operate.

8. (Original) An operation condition setter as claimed in claim 6,

wherein said second generation means generates the list by use of symbols including letters, numbers and icons.

9. (Original) An operation condition setter as claimed in claim 6,
wherein said second generation means generates the list so as to include settable
values.
10. (Original) An operation condition setter as claimed in claim 6, further comprising
identification means for identifying, among the setting results shown in the list, a setting
result decided based on the set value of an item on the displayed entry screen,
wherein said second display control means displays the list so that the identified
setting result is distinguished from the other setting results.
11. (Original) An operation condition setter as claimed in claim 6, further comprising:
selection means for selecting one of the setting results shown in the list; and
switching means for switching the entry screen to an entry screen including an item
deciding the selected setting result,
wherein said first display control means displays the entry screen including an item
deciding the selected setting result.
12. (Original) An operation condition setter as claimed in claim 6,
wherein said operation condition of the image processing apparatus is at least one of
an operation condition associated with a print function and an operation condition
associated with a postprocessing function performed after printing.
-

13. (New) An image processing apparatus comprising:
a plurality of entry screens;
a first display that selectively displays an entry screen from the plurality of entry screens;
a selector that sets an operation condition on the displayed entry screen;
a list screen on which all the set operation conditions are collectively displayed; and
a second display that displays the entry screen displayed by the first display and the list screen at the same time.

AS 14. (New) An image processing apparatus comprising:
a display;
a first controller that selectively displays an entry screen from a plurality of entry screens on the display;
a selector that sets an operation condition on the displayed entry screen; and
a second controller that displays the entry screen displayed by the first display and a list screen on which all the set operation conditions are collectively displayed at the same time.

15. (New) An operation condition setter for setting values for a plurality of items specifying operation conditions of an image processing apparatus, said setter comprising:
a first selector that selects one group from among a plurality of groups into which the items are classified;

a first generator that generates an entry screen for entering data for an item belonging to the selected group;

a first display controller that displays the entry screen on a display;

a setter for registering the data entered for the item on the entry screen as a set value of the item;

a second generator that generates a list of setting results of the operation conditions based on the set values of all the items; and

A5 a second display controller that displays the list on the display.

16. (New) An operation condition setter as claimed in claim 15, further comprising:

a detector that detects a combination of set values at which the image processing apparatus can operate; and

an inhibitor that inhibits a combination of set values at which the image processing apparatus cannot operate.

17. (New) An operation condition setter as claimed in claim 15,

wherein said second generator generates the list by use of symbols including letters, numbers and icons.

18. (New) An operation condition setter as claimed in claim 15,

wherein said second generator generates the list so as to include settable values.

19. (New) An operation condition setter as claimed in claim 15, further comprising an identifier for identifying, among the setting results shown in the list, a setting result decided based on the set value of an item on the displayed entry screen,

wherein said second display controller displays the list so that the identified setting result is distinguished from the other setting results.

A⁵ 20. (New) An operation condition setter as claimed in claim 15, further comprising:
a second selector for selecting one of the setting results shown in the list; and
a switch for switching the entry screen to an entry screen including an item deciding the selected setting result,

wherein said first display controller displays the entry screen including an item deciding the selected setting result.

21. (New) An operation condition setter as claimed in claim 15,

wherein said operation condition of the image processing apparatus is at least one of an operation condition associated with a print function and an operation condition associated with a postprocessing function performed after printing.
